NEWMATIC

Gardens by the Bay *embodies the Singapore spirit that drives Newmatic: bold thinking, purposeful design and enduring performance.*



BORN IN SINGAPORE, PROVEN IN AFRICA, SUPPORTED FOR LIFE.

Built for Life™

A Singapore Brand in Every African Kitchen.

Born in Singapore and proven in Africa, Newmatic appliances are designed to be trendy, durable & energy-saving.



Passion
Made
Possible



Our Newmatic Journey

We believe the kitchen is at the heart of the home.

That belief shaped our purpose: to build complete kitchen systems and stand behind every part of them long after they leave the showroom.

Forty years of experience have taught us one key lesson: true value is proven over time. It is found in an appliance that continues to perform and a team that is ready to help whenever needed.

And this is the company we built in Singapore and grew across Africa, committed to keeping kitchens working and families cooking together for years to come.



A Newmatic kitchen your family grows with.
Equipped, installed and supported by a single kitchen specialist.

Built for Life™

Contents

01 Our Newmatic Journey

04 Lifetime Support

05 Our Principles

06 Professional Series

14 Premium Series

16 Built-in Hobs

22 Kitchen Hoods

28 PureCycle

30 Ovens & Microwaves

34 Kitchen Sinks & Taps

42 Automatic Dishwasher

44 Built-in Refrigerators

48 Advanced Surfaces

52 Automatic Coffee Machines

54 Storage Systems

63 Integrated Power Solutions

66 Lighting Solutions

70 The Builder Series

74 Our Worldwide Locations

76 Your Dream Kitchen

Newmatic provides you with lifetime service & support.



Lifetime Glass Warranty

All tempered and ceramic glass is covered by a lifetime warranty.

We Install It Ourselves

Our own technicians fit every appliance, so our team stays accountable from delivery to the final handover.

Genuine Parts, In Stock

We hold and manage our own spare parts, so a repair starts with a single phone call.

Repaired, Not Replaced

We repair appliances all the way down to the circuit board, extending their lifespan and reducing waste.

Responsive Service


Contact us directly and we promise to respond promptly to your needs, with urgent calls handled within hours.

Scan any Newmatic product to book a service visit or reach our support team directly.

5 Years of Motor Warranty

Glass Lifetime+ Warranty

Our guiding principles shape every appliance we design & build.




Newmatic Precision Design

Four decades of product development go into details you may never notice: common, tested parts, finishes that resist daily wear, and tolerances held tight so a Newmatic simply keeps working.

Highest Quality Materials

PVD-coated stainless steel, tempered glass and solid metal knobs — surfaces specified to resist daily wear and hold their finish for years to come.





Sustainable Practices

Newmatic proudly holds the Asia-Pacific Green Deal Green Badge, recognising our commitment to sustainable practices and leadership in environmental responsibility. By aligning our operations with global ESG principles, we are driving positive change and contributing to a greener, more resilient future.

Professional Series



Built For Those Who Take Cooking Seriously.

Designed with advanced technology, premium materials, and refined engineering, the Professional Series represents the highest standard of Newmatic appliances. Every detail is crafted to deliver powerful performance, intuitive control and an optimised cooking experience.

Ceramic glass with lifetime warranty

Tempered ceramic glass surface, warranted for life. Easy to clean, built to last.

Powerful 1,200 m³/h inverter blower

An inverter motor moves up to 1,200 m³ of air an hour, clearing smoke, steam and grease fast.

Flexi induction zone

Two zones bridge into one, so a pan of any size heats evenly across the full surface.

13 cooking programs

A variety of predefined options for daily cooking and baking tasks.

Voice or gesture control

Control settings by speaking or gesturing, without touching the surface.

Air fryer function

Air fry directly in the oven, using little or no oil.

Titanium finish

Solid titanium alloy knobs, machined to resist marks and stay cool and precise.

5 Years of Motor Warranty

Glass Lifetime+ Warranty

Energy Saving A+

SG Passion Made Possible



Where every morning begins.

Gas flame and flexible induction on one quiet surface, ready for whatever today's beautiful morning brings.

The Most Capable Hob We've Ever Built.



90cm Professional Ceramic Hybrid Hob

PM932FC-PRO

FEATURES

- Full ceramic glass with lifetime warranty
- Super heavy duty cast iron trivets
- Auto-ignition by electricity
- Flame failure device (FFD)
- Titanium alloy knobs & spacer
- Sensor touch control
- 9-stage adjustable cooking power
- 99-minute digital timer
- Residual heat indicator
- Child safety lock
- Free-zone induction with boost function

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 1 x Semi-rapid burner 1.5kW
- Front left: Ø180mm, 1500 / 1800W
- Rear left: Ø180mm, 2000 / 2300W
- Flex zone: 2500 / 2800W

> “Excellent customer service even after you've made your purchase.”
>
> — Irene Ogada

Built-in Hobs For Serious Cooks



60cm Professional Ceramic Hybrid Hob

PM622FC-PRO

FEATURES

- Full ceramic glass with lifetime warranty
- Super heavy duty cast iron trivets
- Auto-ignition by electricity
- Flame failure device (FFD)
- Titanium alloy knobs & spacer
- Sensor touch control
- 9-stage adjustable cooking power
- 99-minute digital timer
- Residual heat indicator
- Child safety lock
- Free zone induction with boost function

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Auxiliary burner 1.0kW
- Front left: Ø180mm, 1500 / 1800W
- Rear left: Ø180mm, 2000 / 2300W
- Flex zone: 2500 / 2800W



90cm Professional Stainless Steel Gas Hob

PM950STX-PRO

FEATURES

- 304 stainless steel top
- Super heavy duty cast iron trivets
- High power 3.4kW, triple ring burner
- Battery ignition (1.5V)
- Flame failure device (FFD)
- Titanium alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



110cm Stainless Steel Gas Hob

PM1140STTX-PRO

FEATURES


- 304 stainless steel top
- Heavy duty cast iron trivets
- Italian Sabaf burners
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Titanium alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 2 x Wok burner 4.0kW
- 2 x Semi-rapid burner 1.8kW



60cm Induction Ceramic Hob


PP604I

FEATURES

- Ceramic glass with lifetime warranty
- Sensor touch control
- 9-stage cooking power setting
- Automatic safety switch off
- Child safety lock
- Pan sensor
- Individual timer
- Residual heat indicator
- Boost function

SPECIFICATIONS

- Total power 7200W:
- Front left: Ø165mm, 1300/1500W (Boost)
- Rear left: Ø210mm, 2300/2600W (Boost)
- Front right: Ø180mm, 1800/2000W (Boost)
- Rear right: Ø180mm, 1800/2000W (Boost)



30cm Induction Ceramic Hob

PP302I

FEATURES

- Ceramic glass with lifetime warranty
- Sensor touch control
- 9-stage cooking power setting
- Automatic safety switch off
- Pan sensor
- Individual timer
- Residual heat indicator
- Boost function

SPECIFICATIONS

- Total power 3500W:
- Front: Ø165mm, 1300/1500W (Boost)
- Rear: Ø200mm, 1800/2000W (Boost)

Glass Lifetime+ Warranty

PROFESSIONAL SERIES

Wall Hood





Our Most Powerful Hood.

90cm Professional Inverter Wall Hood A+

H66.9V-PRO

FEATURES

- Metallic inverter motor with 5-year warranty
- 90cm T-shaped chimney hood
- Voice, gesture & sliding control
- Stainless steel baffle filters
- Charcoal filter

SPECIFICATIONS

- Lighting: Strip LED lamp 2 × 2W
- Motor input power: 150W inverter
- Air flow: 1200m³/h
- Outlet diameter: Ø150mm
- Noise level: <52dB(A)

5 Years of Motor Warranty

Energy Saving A+



PROFESSIONAL SERIES

Built-in Oven & Microwave

Air Fryer



60cm Professional Multifunction Oven

A+

FM6133T-PRO

FEATURES

- 72L built-in multifunction oven
- 13 cooking programs
- Touch control with LED display
- Tangential cooling system
- Full glass inner door
- Triple layer cool door
- Total power 2900W
- AC220V/50Hz
- Enamel baking tray
- Grill rack



Built-in Microwave & Grill Oven

32EPS-PRO

FEATURES

- 32L built-in microwave oven
- Touch control panel
- Microwave & grill function
- Stainless steel cavity
- LED display

Premium Series



Premium Performance, Thoughtfully Built.

The hardest-working room in the house deserves the most attention. We designed and built the Premium Series to exacting standards. Each hood, hob, oven and accessory is made for long-lasting performance, installed and supported by our own team for many years to come.

Tempered glass, lifetime warranty

Tempered glass, warranted for a lifetime. Durable, heatproof, and simple to maintain.

Heat-resistant zinc alloy knobs

Unlike plastic, our knobs are made of zinc alloy, which resists heat distortion.

Food-grade 304 stainless steel cavity

A cavity made of food-safe grade stainless steel that resists staining and can be easily wiped clean.

Highly energy efficient ovens

Our ovens are specially designed to be Energy Class A or higher.

3-layer cool door

Three layers of glass keep the outer door cooler to the touch.

Tangential cooling fan

A cooling fan that helps protect surrounding cabinetry during use.

5 Years of Motor Warranty

Glass Lifetime+ Warranty

Energy Saving A+

SG Passion Made Possible

PREMIUM SERIES

Our Sought After 90cm Built-in Hobs.



Nano Surface

90cm Nano Tempered Glass Gas Hob

PM940STTNB

FEATURES

- Tempered glass top with nano-coating
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Auto-ignition by electricity
- Zinc alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 2 x Triple ring burner 3.4kW
- 1 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



Bestseller

90cm Tempered Glass Gas Hob

PM950STGB

FEATURES

- Tempered glass with lifetime warranty
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Zinc alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW

Glass Lifetime+
Warranty

> “The sales people are well informed on their products and are very professional.”
>
> — Oliver Keya



90cm Stainless Steel Gas Hob

PM950STX

FEATURES

- 304 stainless steel top
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Zinc alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



90cm Tempered Glass Hybrid Hob

PM941VSTGB

FEATURES

- Tempered glass top with lifetime warranty
- Heavy duty cast iron trivets
- Auto-ignition by electricity
- Flame failure device (FFD)
- Zinc alloy knobs & spacer
- Residual heat indicator
- 9 levels of radiant power

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 1 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW
- 1 x Radiant zone (Ø145mm, 1200W)

PREMIUM SERIES

60cm Built-in Hobs



60cm Tempered Glass Hybrid Hob

PM631VSTGB

FEATURES

- Tempered glass top with lifetime warranty
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Auto-ignition by electricity
- Zinc alloy knobs & spacer
- Residual heat indicator
- 9 levels of radiant power

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 1 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW
- 1 x Radiant zone (Ø145mm, 1200W)



Bestseller

60cm Tempered Glass Gas Hob

PM640STGB-N

FEATURES

- Tempered glass top with lifetime warranty
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Zinc alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



60cm Stainless Steel Gas Hob

PM640STX-N

FEATURES

- 304 stainless steel top
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Zinc alloy knobs & spacer

SPECIFICATIONS


- Gas type: LPG

Rated Heat:

- 1 x Triple ring burner 3.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW

PREMIUM SERIES

The Modular 30cm Built-in Hob



30cm Stainless Steel Gas Hob

PM320SX

FEATURES

- 304 stainless steel top
- Heavy duty cast iron trivets
- Flame failure device (FFD)
- Battery ignition (1.5V)
- Zinc alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG

Rated Heat:

- 1 x Rapid burner 2.4kW
- 1 x Semi-rapid burner 1.8kW



Cooking together is the best part of coming home.

PREMIUM SERIES

Asian Hobs



90cm Ceramic Gas Hob

PM930STC

FEATURES

- Full ceramic glass
- Universal mount
- Heavy duty cast iron trivets
- Battery ignition (1.5V)
- Flame failure device (FFD)
- Titanium alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG/TG
- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 1 x Semi-rapid burner 1.8kW



78cm Ceramic Gas Hob

PM830STC

FEATURES

- Full ceramic glass
- Universal mount
- Heavy duty cast iron trivets
- Battery ignition (1.5V)
- Flame failure device (FFD)
- Titanium alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG/TG
- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 1 x Semi-rapid burner 1.8kW



Asian Hobs



60cm Ceramic Gas Hob

PM630STC

FEATURES

- Full ceramic glass
- Heavy duty cast iron trivets
- Battery ignition (1.5V)
- Flame failure device (FFD)
- Titanium alloy knobs & spacer

SPECIFICATIONS

- Gas type: LPG/TG
- 1 x Triple ring burner 3.4kW
- 1 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



73cm Ceramic Induction & Radiant Hob

PK702VI

FEATURES

- Ceramic radiant & induction hob
- Sliding sensor touch control
- Automatic shut-off
- High/low voltage protection
- Overheating & overflow protection
- 99-minute digital timer
- Multi-stage cooking power setting
- Child safety lock
- Digital display

SPECIFICATIONS

- Voltage: 220-240V, 50/60Hz
- 1 x Induction zone
- 1 x Radiant zone
- Total max power: 2800W



73cm Ceramic Induction Hob

PK702I

FEATURES

- Ceramic induction hob
- Sliding sensor touch control
- Automatic shut-off
- All flat cookware is available for ceramic
- High/low voltage protection
- Overheating & overflow protection
- 99-minute digital timer
- Multi-stage cooking power setting
- Child safety lock
- Digital display

SPECIFICATIONS

- Voltage: 220-240V, 50/60Hz
- 2 x Induction zones
- Total max power: 2800W

Kitchen Hoods



Comfort Begins With Clearer Air.

Effective elimination of cooking fumes provides a safe, healthy and pleasant indoor environment in your home.

PureCycle Active Plasma Convertor

Converts cooking fumes to atmospheric gases when ducting is not an option.

NEW

For more details, see page 28

Clears smoke and odour

Removes smoke, grease, and cooking odours from the kitchen while you prepare meals.

Keeps cabinets cleaner

Reduced grease in the air results in less accumulation on the surfaces surrounding your hob.

PureCycle

5 Years of Motor Warranty

Energy Saving A+

Choosing the Right Hood for Your Kitchen

	Slimline Hood	Wall Hood	Island Hood
Best for	Compact kitchens	Most kitchens	Kitchen islands
Installation	Under cabinet	Mounted on wall	Suspended from ceiling
Design	Discreet & minimal	Decorative feature	Premium focal point
Ideal for	Everyday cooking	Frequent cooking	Open-plan kitchens

PREMIUM SERIES

Island Hoods



90cm Stainless Steel Island Hood

H94.9S

FEATURES

- 90cm T-shaped island hood
- 3-speed touch control with delay timer
- 5-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: Strip LED lamp 4 × 1.5W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



90cm Glass & Stainless Steel Island Hood

H97.9S

FEATURES

- 90cm curved glass island hood
- 3-speed touch control with delay timer
- 5-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: Strip LED lamp 2 × 2W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)

Wall Hoods



60/90cm Glass & Stainless Steel Wall Hood

H77.6P / H77.9P

FEATURES

- Tempered glass with lifetime warranty
- 60/90cm glass wall hood
- 3-speed push button control
- 5-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: LED lamp 2 × 1.5W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



60/90cm Glass & Black Finish Wall Hood

H77.6PB / H77.9PB

FEATURES

- 60/90cm curved glass wall hood
- 3-speed push button control
- 5-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: LED lamp 2 × 1.5W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



90cm Glass & Stainless Steel Wall Hood

H76.9S

FEATURES

- Tempered glass with lifetime warranty
- 90cm curved glass wall hood
- 3-speed touch control with delay timer
- 5-layer washable aluminium grease filters
- Patented curved control panel

SPECIFICATIONS

- Lighting: Strip LED lamp 2 × 2W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)

PREMIUM SERIES

Wall Hoods



60/90cm Stainless Steel Wall Hood

H64.6S / H64.9S

FEATURES

- 60/90cm stainless steel T-shaped wall hood
- Gesture control combined with touch switch
- 5-layer washable aluminium grease filter
- Shut down timer
- Glass control panel
- Strip LED light

SPECIFICATIONS

- Lighting: LED lamp 2 x 1.5W
- Motor input power: 160W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



90cm Robotic Glass Wall Hood

H86.9S

FEATURES

- 90cm robotic wall hood
- 3-speed touch control with delay timer
- 5-layer washable aluminium grease filters
- Charcoal filters included

SPECIFICATIONS

- Lighting: Strip LED lamp 2 × 1.5W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



60/90cm Telescopic Wall Hood

H14.6 / H14.9

FEATURES

- 60/90cm telescopic under cabinet hood
- 2-speed rocker switch
- 3-layer washable aluminium grease filters
- Strip LED light

SPECIFICATIONS

- Lighting: LED lamp 2 × 3W
- Motor input power: 140W
- Air flow: 480m³/h
- Outlet diameter: Ø150mm
- Noise level: <68dB(A)

Slimline Hoods



60/90cm Black Slimline Hood

H18.6B / H18.9B

FEATURES

- 60/90cm black slimline under cabinet hood
- 3-speed touch control with delay timer
- 3-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: LED lamp 2 × 2W
- Motor input power: 2 × 50W
- Air flow: 550m³/h
- Outlet diameter: Ø125mm
- Noise level: <58dB(A)



60/90cm Stainless Steel Slimline Hood

H19.6S / H19.9S

FEATURES

- 60/90cm stainless steel under cabinet hood
- 3-speed touch control with delay timer
- 3-layer washable aluminium grease filters
- Glass control panel
- Strip LED light

SPECIFICATIONS

- Lighting: LED lamp 2 × 1.5W
- Motor input power: 2 × 75W
- Air flow: 550m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)

PureCycle × NEWMATIC



Convert Harmful Cooking Fumes Into Clean, Fresh Air

PureCycle Active Plasma Convertor is a powerful active filter that converts toxic cooking fumes into atmospheric air. The Active Plasma breaks down grease, cooking odours and noxious gases into steam, nitrogen and carbon dioxide molecules.


The convertor can be easily installed in existing cooker hoods. Unlike charcoal filters, **PureCycle Active Plasma Convertor** does not require regular replacement or cleaning, providing hassle-free, reliable long-term performance.

Replace your existing charcoal filters with Advanced Plasma Technology for cleaner and fresher air. For more information, ask your Newmatic sales representative.

Eliminates cooking odour up to
95%

Minimum lifespan up to
5 Years

PureCycle
Active Plasma Convertor



Plasma odour elimination
Advanced plasma technology breaks down cooking odours and fumes.

Automatic operation
The plasma filter automatically activates when airflow from the hood starts.

Maintenance free
No cleaning required and no frequent filter replacement.

TECHNICAL SPECIFICATIONS	HPL18KIT
Power input	DC 12V
Power consumption	36W
Voltage / frequency	110–240V 50/60Hz
Max. airflow	1000m³/h
Lifespan	5 years (2 hours per day)
Warranty	12 months



Ovens & Microwaves



More Ways to Cook. More to Enjoy.

From freshly baked bread to a golden Sunday roast, discover more ways to enjoy cooking with Newmatic's multifunction ovens.



Forced Air
Fan circulation combines with bottom heat for crisp pizza bases and pastries.



Bread Baking
Bake crusty, delicious bread with an open texture on three levels all at once.



Top & Bottom Heat
Top and bottom heat provide natural convection for pastries and cakes.



Bottom Heat
Bottom heat crisps pizza bases while gently cooking casseroles.



Defrost
Fan circulation speeds up defrosting for delicate foods, fish and poultry.



Surface Grill
Select full or centre surface grilling to suit larger meals or smaller portions.



Roasting
The grill and fan distribute heat for golden roasts in less time and effort.



Air Fryer
Rapidly circulating hot air crisps food with little or no added oil to a beautiful crisp.

With Even More Features.

Energy Saving A+



Gentle Close
Assisted hinges allow gentle closing; different door angles for easier access.



Triple Glass
Three glass layers reduce heat transfer, keeping the outer door surface cooler.



Cooling System
Cooling airflow protects components and cabinetry from excessive heat.



Energy Saving
Retaining heat inside the oven helps reduce energy loss during everyday cooking.

PREMIUM SERIES

Ovens & Microwaves

Bestseller

11 Cooking Programs A



Multifunction Oven 11 Cooking Programs

FM6113T

FEATURES

- 65L built-in multifunction oven
- Energy class A
- Total power 2800W
- AC220V/50Hz
- Triple layer cool door
- Tangential ventilation



4 Cooking Programs A



Electric Oven 4 Cooking Programs

FE633

FEATURES

- 65L built-in electric oven
- Energy class A
- Mechanical timer
- Total power 2200W
- AC220V/50Hz
- Double layer door



Ovens & Microwaves

7 Cooking Programs




Multifunction Oven 7 Cooking Programs

FM673

FEATURES

- 65L built-in multifunction oven
- Energy class A
- Mechanical timer
- Zinc alloy knobs and spacer
- Total power 2800W
- AC220V/50Hz
- Triple layer cool door
- Tangential ventilation





28L Built-in Microwave Oven

28EPS

FEATURES

- Sensor touch control
- Large capacity
- Microwave, grill & combi functions
- Food grade 304 stainless steel cavity
- LED display
- Electric auto open door

Energy Saving A

Kitchen
Sinks & Taps



> Great store with high quality appliances that are reliable, efficient and pocket friendly.
>
> — Jane Wambui

Where Every Meal Begins and Ends.

Rinsing, filling, draining, washing up. It all happens in one place, several times a day. So we build the taps and sinks with precision, line them for quiet use, and finish them to last for years.

201 & 304 stainless steel

Grades chosen to resist rust and marking, so the sink still looks right in a few years.

Handcrafted bowls

Tight corners and a flat base make the most of the space you have.

Quiet in use

An underside coating reduces the noise of running water and prevents condensation.

Taps that reach

Flexible mixer taps pull out for rinsing and filling; standard taps keep it simple.

PREMIUM SERIES

Kitchen Sinks



Top Mount Kitchen Sink

Single 45

FINISH
- 201 stainless steel

SIZE (MM)
- Ø450 x D180

ACCESSORIES
- A07+B11



Top Mount Kitchen Sink

Single 80

FINISH
- 201 stainless steel

SIZE (MM)
- L800 x W500 x D240

ACCESSORIES
- A07+B11



Top Mount Kitchen Sink

Double 82

FINISH
- 201 stainless steel

SIZE (MM)
- L820 x W435 x D240

ACCESSORIES
- A07+B10



Top Mount Handcrafted Kitchen Sink

Double 118

FINISH
- 201 stainless steel

SIZE (MM)
- L1180 x W500 x D240

ACCESSORIES
- A07+B10

Kitchen Sinks



Undermount Handcrafted Kitchen Sink

Double HU78

FINISH
- 304 stainless steel

SIZE (MM)
- L780 x W450 x D230

ACCESSORIES
- A07+B10



Top Mount Handcrafted Kitchen Sink

Double H84

FINISH
- 304 stainless steel

SIZE (MM)
- L840 x W480 x D230

ACCESSORIES
- A07+B10+P17D+P30D



Top Mount Handcrafted Kitchen Sink

Double H100

FINISH
- 304 stainless steel

SIZE (MM)
- L1000 x W500 x D230

ACCESSORIES
- A07+B10+P17E+P30E



Top Mount Handcrafted Kitchen Sink

Double H120

FINISH
- 304 stainless steel

SIZE (MM)
- L1200 x W500 x D230

ACCESSORIES
- A07+B10+P17E+P30E

PREMIUM SERIES

Kitchen Sinks



Undermount Handcrafted Kitchen Sink

Single HU39G

FINISH
- PVD 304 stainless steel

SIZE (MM)
- L390 x W390 x D200

ACCESSORIES
- A07+B11

Bestseller




Top Mount Quartz Kitchen Sink

Double Q88 B/G

FINISH
- Black / grey quartz

SIZE (MM)
- L820 x W460 x D210

ACCESSORIES
- A07+B10



Top Mount Quartz Kitchen Sink

Double Q116 B/G

FINISH
- Black / grey quartz

SIZE (MM)
- L1160 x W500 x D220

ACCESSORIES
- A07+A07+B10

Kitchen Sinks



Handcrafted Top Mount Pro Kitchen Sink

Double H120-PRO

FINISH
- 304 stainless steel with tempered glass

SIZE (MM)
- L1200 x W500 x D230

ACCESSORIES
- A07+B10+SG-0461+SG-0471



Handcrafted Top Mount Kitchen Sink

Double H120B

FINISH
- PVD 304 stainless steel

SIZE (MM)
- L1200 x W500 x D230

ACCESSORIES
- A07+A07+C05+P30E+P17E



Handcrafted Top Mount Kitchen Sink

Double H100B

FINISH
- PVD 304 stainless steel

SIZE (MM)
- L1000 x W500 x D230

ACCESSORIES
- A07+A07+C05+P30E+P17E

PREMIUM SERIES

Kitchen Taps



Gallop
Stainless Steel Flexi Mixer Tap
T16MFR



Dalvey
Brass Cold Tap
T03C



Belmont
Stainless Steel Flexi Mixer Tap
T15MF



Peirce
Stainless Steel Flexi Mixer Tap
T02M



Neil
Brass Flexi Mixer Tap
T04MF



Swettenham
Brass Flexi Mixer Tap
T10MF



Bishopsgate
Stainless Steel Pot Filler Tap
T17C

Kitchen Taps



Blair
Black Finish
Flexi Mixer Tap
T08MF



Bestseller

Pasoh
Black Finish
Mixer Tap
T02MB



Spottiswoode
Brass with Black Finish
Flexi Mixer Tap
T14MF



Everton
Brass with Black Finish
Flexi Mixer Tap
T08MG-BG



Cantonment
Gunmetal Finish
Flexi Mixer Tap
with Shower Rinse
T18MFR



Craig
Gunmetal Finish
Flexi Mixer Tap
T16MF

New models: T20MF, T20MF-C, T20MF-G, T21MF-B, T21MF-R, T19MFW, T19MF-G, T17GM

Automatic Dishwasher



A Whole Day's Dishes, In One Simple Step.

Breakfast plates, lunch bowls, the pans from dinner. Load as you go and run it once — quietly, at 49dB, behind a door that matches your cabinetry.

Fits the whole day
A full day of dishes goes in as one load.

Quiet at 49dB
Quiet enough to run while the room is in use.

A setting for every load
Six programs cover glass, eco, rapid and intensive washing.



Fully-Integrated Dishwasher
DW12INT-2

FEATURES
- Fully built-in dishwasher
- 6 programs (ECO/Glass/90min/Rapid/Intensive/Normal)
- 12 place-settings
- D class 49dB
- Two-tier baskets
- Manually adjustable upper basket
- Half-load function



Energy Saving A++

Energy Saving A+

Built-in Refrigerators

Frost free
Moving air stops ice forming inside the cabinet. There is no need for manual defrost.

Flexible storage
Shelves and door bins move to suit tall bottles and large dishes.

Runs quietly
An ultra-low-noise compressor and noise-reducing materials keep the fridge quiet all day and night.

Efficient in use
Insulation and controls are matched to keep daily energy use low.



A Pair Made in Heaven, Forever and Ever.



Built-in Freezer

Energy Saving

CZ212INT

FEATURES

- Integrated built-in design
- Easy-fit installation
- Easy-touch for temperature adjustment
- No frost freezer
- Large drawer for convenient access to bigger items
- Mobile box optional

SPECIFICATIONS

- Voltage: 220-240V/50Hz
- Lamp power: 2W
- Rated current: 0.5A
- Climate class: ST/N
- Foaming agent cyclopentane
- Energy consumption (kWh/24h): 0.934
- Total volume: 212L
- Freezer storage volume: 212L
- Refrigerant: R600a, 49g
- Product dimensions (mm): W540 x D550 x H1785
- Noise level: 35dB
- Gross weight: 67kg

Built-in Fridge

Energy Saving

CF304INT

FEATURES

- Integrated built-in design
- Easy-fit installation
- Easy-touch for temperature adjustment
- Optional wine shelf for drink storage
- No frost technology
- Sliding pizza box for flat and easy storage
- Large drawer for convenient access to bigger items
- Humidity control crisper to keep produce fresh longer
- Mobile box optional

SPECIFICATIONS

- Voltage: 220-240V/50Hz
- Lamp power: 2W
- Rated current: 0.6A
- Climate class: T/ST/N
- Foaming agent cyclopentane
- Energy consumption (kWh/24h): 0.495
- Total volume: 304L
- Refrigerator storage volume: 304L
- No. of shelves: 5
- No. of drawers: 2
- No. of door racks: 5
- Refrigerant amount: R600a, 31g
- Product dimensions (mm): W540 x D550 x H1785
- Noise level: 39dB
- Gross weight: 65.5kg

Built-in Refrigerators

Happily Single, and the Roomiest.



Bestseller

Built-in Freezer & Fridge

Energy Saving

CC400INT

FEATURES

- Integrated built-in design
- Easy-fit installation
- Easy-touch for temperature adjustment
- Individual safe box for personal storage
- Dedicated cooling space for beer and beverages
- Optional wine shelf for drink storage
- No frost freezer with zero ice build-up
- Sliding pizza box for flat and easy storage
- Large drawer for convenient access to bigger items

SPECIFICATIONS

- Voltage: 220-240V/50Hz
- Lamp power: 5W
- Rated current: 1.2A
- Climate class: T/ST/N
- Foaming agent cyclopentane
- Energy consumption (kWh/24h): 0.578
- Total volume: 403L
- Freezer storage volume: 105L
- Refrigerator storage volume: 298L
- Refrigerant amount: R600a, 33g
- Product dimensions (mm): W690 x D550 x H1953
- Noise level: 35dB
- Gross weight: 91kg

Built-in Refrigerators

Small Footprint, But Fully Capable.



Built-in Freezer & Fridge

Energy Saving

CC266INT

FEATURES

- Integrated built-in design
- Easy-fit installation
- Electronic control for easy temperature adjustment
- Individual safe box for personal storage
- Dedicated cooling space for beer
- Optional wine shelf for drink storage
- No frost freezer with zero ice build-up
- Sliding pizza box for flat and easy storage
- Super cooling & freezing for fast chilling & freezing
- Humidity control crisper to keep produce fresh longer

SPECIFICATIONS

- Voltage: 220-240V/50Hz
- Lamp power: 2W
- Rated current: 0.8A
- Climate class: ST/T
- Foaming agent cyclopentane
- Energy consumption (kWh/24h): 0.778
- Total volume: 266L
- Total storage volume: 241L
- Freezer storage volume: 59L
- Refrigerator storage volume: 182L
- Refrigerant amount: R600a, 43g
- Product dimensions (mm): W540 x D545 x H1785
- Noise level: 35dB
- Gross weight: 67.5kg

Advanced Surfaces



Featuring
Carrara White

Sintered Stone

The everything-proof surface that actually lasts forever.

A worktop shouldn't need looking after. Pressed from natural minerals with no added resin, our sintered stone shrugs off heat and stains, cleans with a cloth, and never needs sealing.

Resists stains
The material is completely non-porous.

Handles heat
You can set a hot pan down without marking the surface.

Easy to clean
Using just soap and water is sufficient. There's no need for sealing.

Food safe
A non-absorbent surface that does not trap bacteria.

15mm Sintered Stone





Carved Fish Maw Gold

Satin Finish

Bestseller






Carrara White

Matt Finish





Supreme Calacatta White

Matt Finish


12mm Sintered Stone

Carrara White
Polished Finish





Lauren
Polished Finish





Roman Black Goldstone
Matt Finish





Automatic Coffee Machines for Your Inner Barista



Built-in Full Auto Espresso Machine

BT-COF605INT

FEATURES

- Fully automatic coffee machine
- One-touch brewing for single and double espresso
- Manual brewing mode
- Steam wand for milk frothing
- Hot water function
- Adjustable brewing temperature
- Touch control with LED display
- Customisable beverage settings
- Child safety lock
- Removable water tank
- Black glass front with stainless steel interior
- Includes portafilter, filter basket, tamper, milk jug & cleaning disc

SPECIFICATIONS

- Rated input: AC220-240V/50-60Hz
- Power: 1350W
- Pump pressure: 15bar
- Water tank volume: 1.8L
- Size (mm): W595 x H455 x D410
- Built-in size (mm): W560 x H450 x D550



Full Auto Espresso Machine for the Office

BT-COF203

FEATURES

- One-touch brewing for 16 beverages
- 7-level bean grinder
- HD touch screen
- Automated milk frothing
- Stainless steel cup warmer
- Alerts for water and bean refills
- Notification for full coffee grounds
- Customisable beverage settings
- Beverage count memory
- Auto-rinse on startup and shutdown
- Customisable production
- Multi-language support

SPECIFICATIONS

- Rated input: AC220V/50Hz
- Power: 1300W
- Brewing unit capacity: 9.5-13.5g
- Water tank volume: 1.7L
- Bean tank volume: 250g
- Grounds tank volume: 12pcs
- Size (mm): L475 x W246 x H370



Full Auto Espresso Machine for the Home

BT-COF103

FEATURES

- Fully automatic coffee machine
- One-touch control for coffee and cappuccino
- Self-cleaning milk system
- Automatic rinse after each coffee
- Double cup function
- Integrated outlet for coffee, milk, and hot water
- Separate milk outlet for perfect drink quality
- Detachable water tank / ground coffee container / brewing unit / drip tray for easy cleaning
- Milk container included
- Automatic descaling function
- Automatic shut-off function for energy saving
- ECO mode
- Compatible with coffee beans and ground coffee
- 6 grinder levels
- 6 drinks: Espresso, Cappuccino, Latte, Americano, Macchiato, Hot Water

SPECIFICATIONS

- Rated input: AC220-240V/50Hz
- Power: 1450-1650W
- Water tank capacity: 2L
- Coffee bean container: 250g
- Coffee grounds capacity: 12pcs
- Size (mm): L465 x W220 x H340
- Net weight: 9.48kg
- Gross weight: 12.8kg

Storage Systems

A Place for Every Item, All Within Reach.

Proper kitchen storage improves access, organisation, and efficiency, keeping frequently used items close and counters clear.

Soft close

A dampened guide rail slows the basket as it shuts. There is no slam.

Sized to the cabinet

Units to fit widths from 200mm to 1000mm. Each one matches an existing cabinet run.

Built to last

Stainless steel, tempered glass and powder coated frames throughout.

Every tier put to work

Multi-tiered baskets hold bottles, dry goods and utensils, using the cabinet's full height.

90° linkage

The door and basket move together in one action, opening to you.

Rated to 50kg

Fully loaded, the basket still glides, no sticking, no two-handed tugging.


Tall Pull-out Pantry
BK 7330
Pull-out Pantry
BK 7360 & BK 7345

PREMIUM SERIES

Storage Systems





Tall Pull-out Pantry

BK 7330

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- L480 x W250 x H(1850-2200)

CABINET WIDTH (MM)
- W300 (6 Layers)



Pull-out Pantry

BK 7360 & BK 7345

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- BK 7360: L500 x W564 x H(1650-1950)
- BK 7345: L500 x W414 x H1838

CABINET WIDTH (MM)
- W450 (6 Layers)

Storage Systems



Sink Cabinet Pull-out Shelves

BK 1340

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- W260 x D430 x H425



Sink Cabinet Drawer Basket

BK 1380

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- W714 x D430 x H170

CABINET WIDTH (MM)
- W800



Kitchen Drawer Basket


BK 3360

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- W514 x D430 x H170

CABINET WIDTH (MM)
- W600



Extension Tray

BK 2150

MATERIAL
- ABS

FINISH
- Matt Dark Grey

SIZE (MM)
- W158 x D420-490 x H55

CABINET WIDTH (MM)
- W150

PREMIUM SERIES

Storage Systems



Dish Drawer


BK 3080

MATERIAL
- 201 Stainless Steel

FINISH
- Primary Colour

SIZE (MM)
- W735 x D465 x H190

CABINET WIDTH (MM)
- W800



Cookware Drawer

BK 3081

MATERIAL
- 201 Stainless Steel

FINISH
- Primary Colour

SIZE (MM)
- W735 x D465 x H190

CABINET WIDTH (MM)
- W800



Corner Shelves

BK 4380

MATERIAL
- Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- W860 x D520 x H580

CABINET WIDTH (MM)
- W800-900

Storage Systems



Corner Kidney Tray

BK 4010 L/R

MATERIAL
- Iron

FINISH
- Chrome Coated

SIZE (MM)
- W714 x D430 x H170

CABINET WIDTH (MM)
- W400



Pull-down Hydraulic Pantry

BK 6380

MATERIAL
- Stainless Steel

FINISH
- Primary Colour

SIZE (MM)
- W765 x D280 x H560

CABINET WIDTH (MM)
- W800



Pull-down Hydraulic Dish Rack

BK 6080

MATERIAL
- Steel & MDF

FINISH
- Grey Powder Coated / Chrome Plated

SIZE (MM)
- W764 x D260 x H545

CABINET WIDTH (MM)
- W800

Storage Systems



Kitchen Drawer Basket

BK 5080

MATERIAL
- Stainless Steel

FINISH
- Primary Colour

SIZE (MM)
- W860-960 x D480 x H560

CABINET WIDTH (MM)
- W900-1000



Wine Glass Holder

BK 8401

MATERIAL
- 304 Stainless Steel

FINISH
- Primary Colour

SIZE (MM)
- W330 x D230 x H56



Knife Rack

BK 2NR

MATERIAL
- ABS

FINISH
- Dark Grey

SIZE (MM)
- W100 x D420 x H50

Storage Systems



Spice Drawer

BK 3310

MATERIAL
- 201 Stainless Steel & Tempered Glass

FINISH
- Primary Colour

SIZE (MM)
- W150 x D430 x H450

CABINET WIDTH (MM)
- W200



Trash Bins

BK 9220

MATERIAL
- Plastic & Iron

FINISH
- Grey

SIZE (MM)
- W335 x D480 x H420 (20L x 2)

CABINET WIDTH (MM)
- W400



Trash Bins

BK 9230

MATERIAL
- Plastic & Iron

FINISH
- Grey

SIZE (MM)
- W385 x D480 x H520 (30L X 2)

CABINET WIDTH (MM)
- W450

Storage Systems



Cutlery Tray

BK 2450

MATERIAL
- ABS

FINISH
- Dark Grey

SIZE (MM)
- W340-400 x D420-490 x H55

DRAWER WIDTH (MM)
- W450



Cutlery Tray

BK 2800

MATERIAL
- ABS

FINISH
- Dark Grey

SIZE (MM)
- W690-750 x D420-490 x H55

DRAWER WIDTH (MM)
- W900



Cutlery Tray

BK 2900

MATERIAL
- ABS

FINISH
- Dark Grey

SIZE (MM)
- W790-850 x D420-490 x H55

DRAWER WIDTH (MM)
- W900

Motorised Storage Systems



Smart Laundry Rack

BK 5190

FEATURES

- Anti-rust & corrosion-resistant
- Space-saving master, boosting drying capacity by 50%.
- Smart safety, DC motorised lifting
- Remote & light combo

SPECIFICATIONS

- Base dimensions: 1130mm (L) x 316mm (W) x 85mm (H)
- Expandable poles: 1300mm-2200mm
- Max lifting height: 1200mm
- Material: aerospace-grade aluminium + ABS
- Max load: 35kg
- Rated power: 106W
- Poles: 2+2 pcs
- Voltage range: 220V-240V/50Hz
- Waterproof level: IPX1
- LED light: 12W
- Wireless remote controller



80cm Robotic Spice Cabinet

BK 5380

FEATURES

- Touch control
- Intelligent anti-pinch system
- Motorised lifting up & down
- Aluminium alloy material

SPECIFICATIONS

- 720mm double-row shelf x 1
- 300mm single-row shelf x 1
- 200mm single-row shelf x 1
- Hooks: 13pcs



60cm Robotic Spice Cabinet

BK 5360

FEATURES

- Touch control
- Intelligent anti-pinch system
- Motorised lifting up & down
- Aluminium alloy material

SPECIFICATIONS

- 500mm double-row shelf x 1
- 200mm single-row shelf x 1
- Hooks: 13pcs

PREMIUM SERIES

Integrated Power Solutions



Move the Socket, Not the Appliance.



ATP-USB C

SPECIFICATIONS

- Type-A: 18W
- Type-C: 20W
- QC3.0/PD
- Size (mm): Ø66 × 27



ATP-UK Track Plug

SPECIFICATIONS

- 250V/13A
- 2500W
- Size (mm): Ø66 × 28



ATP-Multi Track Plug

SPECIFICATIONS

- Universal Use
- 250V/13A
- 2500W
- Size (mm): Ø66 × 29



APS Popup Socket

FEATURES

- Wireless charging: 15W
- Bluetooth speaker: Built-in
- Lifting way: Electric lifting
- Voltage range: 110V-250V
- Rated power: 2500W
- Cutout diameter: 95mm
- Rated current: 10A
- Panel material: Tempered glass
- Shell material: Aluminium alloy
- IP rating: IP54 (in closed status)



Surface-Mount Power Track

Sits on Top

SPECIFICATIONS

- Model No.: ATS60S / ATS80S / ATS100S
- Length: 60/80/100 cm
- Material: Aluminium alloy
- Colour: Black
- Rated: 8000W/32A



Built-in Power Track

Flush with Countertop

SPECIFICATIONS

- Model No.: ATS60 / ATS80 / ATS100
- Length: 60/80/100 cm
- Material: Aluminium alloy
- Colour: Black
- Rated: 8000W/32A

Lighting Solutions

Energy Saving A+

35,000 hours

Rated for 35,000 hours of use. Lamps rarely need changing.

Handles the heat

LEDs give off very little heat and sit safely near the cooking area.

Low power usage

A few watts per lamp. Lighting adds very little to running costs.

Even across the top

Light spreads across the width of the hob rather than one spot.



LED Lighting



LED Downlight

DL340

FEATURES

- Slim circular design for discreet cabinet lighting
- Soft, even illumination with no visible LED dots
- Includes three LED downlights, driver and touch controller

SPECIFICATIONS

- Dimensions: Ø65 × 10.6mm
- Power: 1.8W per light
- Input voltage: DC 12V
- Colour temperature: 4000K daylight
- Colour rendering index: CRI >80
- Light output: 152 lm per light
- Beam angle: 110°
- Installation: Surface or recessed mounting



Flexible Silicone LED Strip

CV54

FEATURES

- Flexible silicone body follows straight and curved surfaces
- Soft, even illumination for a seamless lighting effect
- Recessed installation for a clean, integrated finish

SPECIFICATIONS

- Dimensions: 10 × 6mm
- Length: 5m
- Material: Silicone
- Power: 10W/m
- Input voltage: DC 12V
- Colour temperature: 4000K daylight
- Colour rendering index: CRI >90
- Installation: Recessed into furniture grooves



Recessed Profile Light

AP98

FEATURES

- Length can be customised
- High-quality PC cover for an even, diffused light
- Recessed mounted with slots

SPECIFICATIONS

- Dimensions: 10 × 10mm
- Length: 0.5-2.5m
- Material: 6063 aluminium
- Surface: Anodised aluminium
- Cover: Milky or frosted
- PCB width: ~6mm
- Installation: Recessed mounted
- 3000K warm white or 4000K daylight





Distributor Box for 6 Ports

JST6

SPECIFICATIONS

- Dimensions: 58.5 × 38 × 10mm
- Power: 12V / 24V
- Current loading: Max 3A per port
- Interface quantity: 6



Double Door Sensor Switch

ID20

SPECIFICATIONS

- Dimensions: 42.8 × 37.4 × 13mm
- Power: 12V-30W / 24V-60W
- Current loading: Max 2.5A
- Sensing distance: 2-60mm
- Colour: Black
- Sensing heads: 2
- Degree of protection: IP20
- Installation: Recessed or surface mounted



36W LED Driver

LD69

SPECIFICATIONS

- Dimensions: 140 × 60 × 16mm
- Input voltage: 100-240V
- Output Voltage: DC 12V/3A
- Detachable 1.8m AC cable
- Inlay with 6 JST outputs & 1 main control port



LIGHTING SOLUTIONS

LED Lighting



Single Door Sensor Switch

ID01

SPECIFICATIONS

- Dimensions: Ø15 × 12mm
- Power: 12V-60W / 24V-120W
- Current loading: Max 5A
- Sensing distance: 30-80mm
- Colour: Silver / Black
- Sensing head: 1
- Standby power: 0.2W
- Installation: Recess-mounted



PIR Sensor Switch

PRO1

SPECIFICATIONS

- Dimensions: Ø18 × 12mm
- Power: 12V-60W / 24V-120W
- Current loading: Max 5A
- Sensing distance: 3000mm
- Colour: Silver / Black
- Sensing head: 1
- Standby power: 0.01W
- Installation: Recess-mounted



Touch Dimmer Sensor Switch

TS03

SPECIFICATIONS


- Dimensions: Ø18 × 26mm
- Power: 12V-60W / 24V-120W
- Current loading: Max 5A
- Sensing modes: Multiple control modes
- Colour: Silver / Black
- Sensing head: 1
- Standby power: 0.01W
- Installation: Recess-mounted

The Builder Series

Costed for volume
Priced to stay affordable across hundreds of kitchens, rather than focusing on one showroom sale.

Same standards
Made on the same lines as the full Newmatic range. Quality stays, only features differ.

Whole kitchen supplier
Hoods, hobs, ovens, microwaves and sinks all included on a single purchase order and delivered on one schedule.



Hardworking, competitively priced appliances for property developers and contractors.

Manufactured in the same facility and to the same quality standards as our full range, with simpler features that are easy to use and extremely durable.

Available on an indent basis, with consistent supply across build phases.



Designed for Builders & Developers



90cm Stainless Steel Builders Gas Hob

PM950TX-1

FEATURES

- 304 stainless steel top
- Heavy duty cast iron trivets
- Battery ignition (1.5V)
- Zinc alloy knobs

SPECIFICATIONS

- Gas type: LPG
- 1 x Triple ring burner 3.4kW
- 1 x Rapid burner 2.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



60cm Stainless Steel Builders Gas Hob

PM640TX-1

FEATURES

- 304 stainless steel top
- Heavy duty cast iron trivets
- Battery ignition (1.5V)
- Zinc alloy knobs

SPECIFICATIONS

- Gas type: LPG
- 1 x Triple ring burner 3.4kW
- 2 x Semi-rapid burner 1.8kW
- 1 x Auxiliary burner 1.0kW



20L Built-in Microwave Oven

20EPM

FEATURES

- Mechanical control
- Microwave function
- Digital clock & timer
- 304 Stainless steel cavity, 20L
- Digital clock display
- LED display



90cm Stainless Steel Wall Hood

HT61.9P

FEATURES

- 90cm T-shaped wall hood
- 3 speeds push button control
- 3 layers washable aluminum grease filter

SPECIFICATIONS

- Lighting: LED lamp 2 × 1.5W
- Motor input power: 160W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



90cm Glass & Stainless Steel Island Hood

H95.9P

FEATURES

- 90cm stainless steel island hood
- 3-speed push button control
- 5-layer washable aluminium grease filters
- Stainless steel seamless chimney

SPECIFICATIONS

- Lighting: LED lamp 2 × 2W
- Motor input power: 138W
- Air flow: 760m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



60/90cm Glass & Stainless Steel Wall Hood

HT75.6 / HT75.9

FEATURES

- 60/90cm wall mounted hood
- 3-speed push button control
- 5-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: LED lamp 1 × 2W
- Motor input power: 120W
- Air flow: 450m³/h
- Outlet diameter: Ø150mm
- Noise level: <58dB(A)



60/90cm Stainless Steel Under Cabinet Hood

H16.6P / H16.9P

FEATURES

- 60/90cm stainless steel under cabinet hood
- 3-speed push button control
- 3-layer washable aluminium grease filters

SPECIFICATIONS

- Lighting: LED lamp
  (H16.6P: 1 × 1.5W, H16.9P: 2 × 1.5W)
- Motor input power: 2 × 75W
- Air flow: 400m³/h
- Outlet diameter: Ø120mm
- Noise level: <58dB(A)



Singapore

Showroom
50 Kaki Bukit Place,
#01-01, Singapore 415926
+65 6734 2415

Tanzania

Mikocheni (HQ)
Mikocheni Light Industrial Area,
(ITV Junction),
Dar es Salaam
+255 764 740 972

10 West
10 West Building,
10 Julius K. Nyerere Road,
Dar es Salaam
+255 674 217 670

Mkombozi Street
Old Posta, Mkombozi Street,
Behind St. Joseph Cathedral Church,
Dar es Salaam
+255 651 131 383

Zanzibar
Mwanakwerekwe Area
(next to the flyover and Exim Bank),
West Town Region
+255 704 472 625

Kenya

James Gichuru, JG (HQ)
James Gichuru Road,
Lavington,
Nairobi
+254 711 477 711

Mombasa Road, KC
Kellico Complex,
Mombasa Road,
Nairobi
+254 719 331 818

Kiambu Road, KB
High View Plaza, Thindigua,
Kiambu Road, (off Rubis Petrol Station),
Nairobi
+254 743 572 321


Kisumu
Obote Road, Kisumu
Tel : +254 743 572 321

Nyali, Mombasa
Amal Plaza, Nyali,
Mombasa
+254 768 864 596

Nakuru
Rumish Ltd Building,
Lower Bedi Road,
Nakuru Town
+254 715 700 800

Eldoret
2F Eagle Hardware Distributors,
Kisumu Road,
Eldoret
+254 717 984 418

Ruiru Countertop Factory
Unit 6, Simba Block,
Vista Industrial Park,
Ruiru
+254 740986378



China

Office

26-12 Dongle Huayuan, Daliang,
Shunde, Foshan,
Guangdong
+86 187 6758 7603

Uganda

Kampala (HQ)

Plot No.84/88,
7th Street Industrial Area,
Kampala
+256 759 736 614

Ntinda

Intersection of Ntinda-Kisaasi Road and
Kigobi Road (Ntinda Traffic Light),
Ntinda, Kampala
+256 784 423 331

Angola

Luanda (HQ)

Loja nº 215,Centro de Vida,
Cidade da China, Vana,
Luanda
Tel: +244 930 033 303

Zambia

Lusaka (HQ)

Plot 2176988,
Alick Nkhata Road,
Lusaka
Tel : +260 766867919

Nigeria

Victoria Island (HQ)

27 Karimu Kotun Street,
Victoria Island,
Lagos
+234 707 897 7347

South Sudan

Juba

Plot 6 Samer International Building,
(Opposite Juba University Roundabout),
Atlabara, Juba
+211 922 323 150

Brunei

Kg Beribi

The Walk, Unit 1 & 2, 2nd Floor, Block B,
Lot No. 71168 Simpang 471 Kg Beribi BE1118,
Negara Brunei Darussalam
+673 862 4123 (Aman Hills)
+673 718 9125 (Beribi Central)
+673 875 1265 (Madang)

Your Dream Kitchen Starts Right Here

Sketch it, list it, or just note the models that caught your eye. Whatever you write here, bring it to a Newmatic showroom and we'll take it from there.

Lifetime Support

Built for Life™



***Singapore** is where the Newmatic story began. Today, it continues in kitchens across Africa and beyond.*

Built for Life™

newmatic.sg

©NEWMATIC. All rights reserved.



NEWMATIC